



SECTION 10 2800

TOILET ACCESSORIES

PART 1 - GENERAL

1.1 SUMMARY

- A. Provide toilet accessories with attachment hardware and rough-in frames as required for complete, operational installation.
- B. Section Includes:
 - 1. Toilet Room, Lavatory, and Shower Accessories.
 - 2. Electric Hand Dryers
 - 3. Mirrors
 - 4. Hospital and Medical Service Accessories.
 - 5. Security/Detention Accessories.
- C. Related Requirements
 - 1. See drawings for wall/partition types and additional mounting requirements.

1.2 REFERENCES

[Revise to comply with state and local codes for specific project]

- A. ADAAG: Americans with Disabilities Act Accessibility Guidelines.
- B. ANSI A117: Specifications for Making Buildings and Facilities Accessible to and Usable by Physically Handicapped People.
- C. IBC – Chapter 11, *Accessibility*.
- D. Fair Housing Amendments Act of 1988, *Accessibility Guidelines*, Federal Register Volume 56, Number 44.
- E. State Requirements (i.e., California Building Code Chapter 11)

1.2 COORDINATION

- A. Coordinate locations, dimensions, and other pertinent details with installation of backing, blocking, and electrical connections.

1.3 LEED® REQUIREMENTS

- A. MR Credit 4.1 - Recycled Content (post-consumer).
- B. MR Credit 4.2 - Recycled Content (post-industrial).

1.4 SUBMITTALS

- A. Submit under provisions of Section 01 3000.
- B. Product Data: Manufacturer's product data for products specified, indicating selected options and accessories.
- C. Shop Drawings:
 - 1. Plans: Locate each specified unit in project.
 - 2. Elevations: Indicate mounting height of each product.



3. Details: Indicate anchoring and fastening details, required locations and types of anchors and reinforcement, and materials required for installation of specified products.
- D. Verification Samples: One sample chips of each specified color and finish.
- E. Manufacturer's printed installation instructions for each specified product.
- F. Closeout Submittals: Warranty, issued and executed by manufacturer, and countersigned by Contractor.
 1. One set of special adjusting or installation tools unique to the products furnished under this section.
 2. Keys to accessories furnished under this section.

1.5 DELIVERY, STORAGE, AND HANDLING

- A. Ship products in manufacturer's standard protective packaging with vinyl coating on exposed surfaces.
- B. Storage and Protection: Store products in manufacturer's protective packaging in a dry, climate controlled environment until installation.

1.6 WARRANTY

- A. Provide manufacturer's standard warranty against defects in materials and fabrication.
- B. Provide manufacturer's 15-year warranty against silver spoilage of mirrors.

PART 2 - PRODUCTS

2.1 MANUFACTURERS

- A. ASI-American Specialties, Inc.; 441 Saw Mill River Road, Yonkers NY 10701-4913; Tel: (914) 476-9000, Fax: (914) 476-0688.
- B. Furnish products from a single manufacturer.
- C. Standard of Quality: Drawings and specifications are based on proprietary literature from ASI. Other manufacturers shall comply with the minimum levels of material and detailing indicated on the Drawings and as specified.

2.2 TRADITIONAL COLLECTION

- A. Basic Construction Requirements:
 1. Doors: Type 304, 22-gage stainless steel, double pan construction, with 1/4-inch thick structural fiberboard core.
 2. Cabinets: Type 304, 22-gage stainless steel, formed perimeter trim with 1/4-inch return to wall four sides; joints welded, sight-exposed welds finished to match sheet finish.
 3. Hinges: Stainless steel piano hinge, 3/16-inch diameter barrel, full length of cabinet; hinge leaves spot-welded to door and cabinet body.
 4. Locks: Tumbler locks, keyed alike other toilet accessory locks, with one key for each lock.
 5. Cabinet and Door Finish: No.4 satin finish.

2.3 SIMPLICITY COLLECTION

- A. Basic Construction Requirements:
1. Doors: Type 304, 18-gage stainless steel, formed 1/2-inch return to wall.
 2. Cabinets: Type 304, 20-gage stainless steel, formed 1-inch wide flat perimeter trim four sides; joints welded, sight-exposed welds finished to match sheet finish.
 3. Hinges: Stainless steel piano hinge, 3/16-inch diameter barrel, full length of cabinet; hinge leaves spot-welded to door and cabinet body.
 4. Locks: Tumbler locks, keyed alike other toilet accessory locks, with one key for each lock.
 5. Cabinet and Door Finish: No.4 satin finish.

2.4 PROFILE COLLECTION

- A. Basic Construction Requirements:
1. Doors: Type 304, 16-gage stainless steel, formed 15/16-inch return to wall, with vertical edges eased at 3/4-inch radius; welded corners.
 2. Cabinets: Type 304, 20-gage stainless steel, formed 1-inch wide flat perimeter trim four sides; joints welded, sight-exposed welds finished to match sheet finish.
 3. Hinges: Stainless steel piano hinge, 3/16-inch diameter barrel, full length of cabinet; hinge leaves spot-welded to door and cabinet body.
 4. Locks: Flat rimless tumbler locks, keyed alike other toilet accessory locks, with one key for each lock.
 5. Cabinet and Door Finish: No.4 satin finish.

2.3 MIRRORS

SPECIFIER NOTE: Select mirror assembly and edit materials accordingly.

- A. Mirror: Model _____.
1. Frame: [Angle – 0600] [Channel - 0620]. Model _____.
 2. Mirror: [Plate glass - A] [Tempered glass - B] [Stainless Steel - C] [Polycarbonate - D] [Acrylic - E] [Laminated glass - L]. Model _____.
 3. Shelf: [Angle – 0605] [Channel - 0625].
 4. Size: As indicated on drawings.
 5. Finish: No.4 satin stainless steel.

2.4 GRAB BARS

- A. Grab Bars: Comply with ASTM F446 from ASTM A554 stainless steel tubing, 18-gage, Type 304; formed [1-1/4 inch] [1-1/2 inch] radius return to wall at each end; heliarc-welded to minimum 11-gage stainless steel flange.

SPECIFIER NOTE: For grab bars, the Series defines whether it has concealed or exposed mounting and the diameter of the tube.

- B. Grab Bars: Series _____.
1. Peened finish. [P]
 2. Sizes and configurations: As indicated on drawings.
 3. Sizes and configurations: As indicated in Schedule at end of section.
- C. Concealed Mounting Flanges-Set Screws: [3100 Series – 1 ¼"] [3200 Series – 1 ½"] Stainless steel, 3-inch diameter by 1/2-inch deep, with 13-gage steel tenon plate for concealed attachment, using three set screws.



- D. Concealed Mounting Flanges-Snap-on: [3700 Series – 1 ¼"] [3800 Series – 1 ½"] Stainless steel cover, 22-gage, 3-inch diameter by 1/2-inch deep, snaps over 1/8-inch thick stainless steel mounting flange.
- E. Exposed Mounting Flange: [3400 Series – 1 ¼"] [3500 Series – 1 ½"] Stainless steel, 1/8-inch thick, and 3-inch diameter, with 3-countersunk screw holes.

2.5 AUTOMATIC HAND DRYERS

[Coordinate voltage with electrical section]

- A. Simplicity Model 0133: [Universal Voltage]
 - 1. Steel, single-piece construction.
 - 2. Brush type electric motor rated 1/4 horsepower.
 - 3. Infrared sensor.
 - 4. Fully Recessed – ADA Compliant.
 - 5. Finish: Satin Stainless steel.
- B. Porcelain Model 0141, 110-120V. [Model 0144, 208-240V]
 - 1. Cast iron housing, single-piece construction, 1/4-inch thick, with acid-resistant porcelain enamel finish.
 - 2. Brushless electric motor rated 1/8 horsepower.
 - 3. Infrared sensor
 - 4. Flip nozzle for face drying
 - 5. Color as selected.
- C. Profile Model 0165: [Universal Voltage]
 - 1. Compact design. Cast Aluminum, single-piece construction, with epoxy enamel finish.
 - 2. Brush type electric motor rated 1/4 horsepower.
 - 3. Infrared sensor.
 - 4. Surface mounted with 4-inch projection – ADA Compliant.
 - 5. Finish: [Grey] or [White].
- D. Profile Model 0185: [Universal Voltage]
 - 1. Steel, single-piece construction.
 - 2. Brush type electric motor rated 1/4 horsepower.
 - 3. Infrared sensor.
 - 4. Surface mounted with 4-inch projection – ADA Compliant.
 - 5. Finish: [Porcelain enamel] or [Stainless steel, {Bright} {Satin}].
 - a. Color as selected.
- E. Profile Model 0195: [Universal Voltage]
 - 1. Cast iron housing, single-piece construction, with porcelain enamel finish.
 - 2. Brush type electric motor rated 1/4 horsepower.
 - 3. Infrared sensor.
 - 4. Surface mounted with 4-inch projection – ADA Compliant.
 - 5. Finish: [Cast housing with Porcelain enamel].
 - a. Color as selected.
- F. Turbo-Dri. Model 0197-1, 120V. [0197-2, 240V]
 - 1. Cover fabricated of heavy-duty, one piece formed stainless steel 1/16" (1.5) thick, exposed surfaces satin or bright or heavy-duty, one piece formed steel 1/16" (1.6) thick finished on exposed surfaces with white porcelain enamel.
 - 2. Motor: 1 HP, brush type, dual ball bearing.
 - 3. Infrared sensor.



4. Optional semi-recessed mounting kit – ADA Compliant.
5. GreenSpec[®] listed.
6. Finish: [Steel housing with Porcelain enamel] or [Stainless steel, {Bright} {Satin} finish].

2.6 HANDS FREE ACCESSORIES

SPECIFIER NOTE: Indicate whether hands free units are battery or AC powered.

- A. Soap Dispensers.
 1. Model 0360: Stainless steel, #4 satin finish, proximity sensor, battery operated.
 2. Model 0362: Stainless steel, #4 satin finish, proximity sensor, battery operated. For higher viscosity soaps
- B. Towel Dispensers.
 1. Model 046921A: Automatic roll towel dispenser and 14-gallon waste receptacle. Proximity sensing no-touch. Recessed unit.
 2. Model 046924A: Automatic roll towel dispenser and 14-gallon waste receptacle. Proximity sensing no-touch. Surface mount unit.
 3. Model 94696A: Automatic roll towel dispenser and 10-gallon waste receptacle. Proximity sensing no-touch. Recessed unit.
 4. Model 04692A: Automatic roll towel dispenser and 18-gallon waste receptacle. Proximity sensing no-touch unit. Recessed unit.
 5. Model 045224A: Automatic roll towel. Proximity sensing no-touch unit. Recessed unit.
 6. Model 04523A: Automatic roll towel dispenser. Proximity sensing no-touch unit. Recessed unit.
 7. Model 8522A: Automatic roll towel dispenser. Proximity sensing no-touch unit. Surface mounted unit.
 8. Model 64696A: Automatic roll towel dispenser and 8.6-gallon waste receptacle. Proximity sensing no-touch. Recessed unit.

2.7 HOSPITAL AND MEDICAL SERVICE ACCESSORIES

- A. Pass Through Specimen Cabinet: Model 8154.
 1. Self-closing Doors: 22-gage stainless steel, No. 4 satin finish; interlock on doors prevents both doors from being opened at the same time.
 2. Cabinet: 22-gage stainless steel, 1-inch flange with 1/4-inch return to wall, four sides; joints welded, sight-exposed welds finished to match sheet finish; adjustable for wall thickness 1-3/4 to 5-1/2 inches.
 3. Hinges: Stainless steel piano hinge, 3/16-inch diameter barrel, full length of cabinet; hinge leaves spot-welded to door and cabinet body.
 4. Removable Tray: 22-gage stainless steel.
- B. Turntable Specimen Pass Cabinet: Model 0515.
 1. Turntable Cylinder Assembly: 18-gage stainless steel, 12-inches diameter, with 10-1/2 by 6 inch opening; removable cylinder housing with lock; No. 4 satin finish.
 2. Cabinet Trim: 22-gage stainless steel, 1-inch flange with 1/4-inch returns, four sides; joints welded, sight-exposed welds finished to match sheet finish;



- adjustable for wall thickness 3 to 7 inches.
3. Main Body: Self-lubricating ball bearing plate mounted on top and bottom permitting unit to revolve freely; positioned bullet catch prevents uncontrolled rotation.
- C. Recessed Bedpan and Urinal Cabinet: Model 0551.
1. Door: 22-gage stainless steel, with 1/4-inch returns; No. 4 satin finish.
 2. Airspace: 1/2-inch, continuous, above and below door.
 3. Cabinet: 22-gage stainless steel, 1-inch flange with 1/4-inch return to wall, four sides; joints welded, sight-exposed welds finished to match sheet finish.
 4. Hinges: Stainless steel piano hinge, 3/16-inch diameter barrel, full length of cabinet; hinge leaves spot-welded to door and cabinet body.
- D. Foot Operated Surgical Soap Dispenser: Model 0349. Pneumatic pump mechanism, 32 ounce (.9 L) polyethylene container. Free turning spout is type 316 stainless steel.
- E. Corner Guards: Model 0533; 18-gage stainless steel, radius corner. Length as indicated.

PART 3- EXECUTION

3.3 EXAMINATION

- A. Verify openings are sized and located in accordance with shop drawings.
- B. Verify reinforcement and anchoring devices are correct type and are located in accordance with shop drawings.
- C. Examine conditions under which construction activities are to be performed, then submit written notification if such conditions are unacceptable.

3.4 INSTALLATION

- A. Install accessories in the locations indicated with anchor devices of the types specified. Fasten securely, true, plumb and level.
 1. Install recessed accessories into wall openings with wood screws through cabinet side into wood blocking or studs, or sheet metal screws into metal backing or studs.
 2. Install surface mounted accessories to hollow back up using toggle bolts and to metal or wood backing using proper type screws.
 3. Provide fasteners, anchors, and the like as necessary to install toilet accessories.
- B. Locate toilet accessories at heights specified by ADAAG, State, or local requirements.

3.5 CLEANING

- A. Remove manufacturer's protective vinyl and clean surfaces in accordance with manufacturer's recommendations.

3.6 PROTECTION

- A. Protect products from damage caused by subsequent construction activities.
- B. Field repair of damaged product finishes is prohibited; replace products having damaged finishes caused by subsequent construction activities.

3.7 SCHEDULES

- A. Commercial Buildings (Class A)
1. Men's Public Washrooms:
 - a. Mirror at each lavatory except accessible.
*0600 Series Angle-Frame Mirror / See sizes on drawings
 - b. Mirror at accessible lavatory.
*0535 Series Fixed Tilt Mirror / See sizes on drawings
 - c. Soap Dispenser at lavatory.
*9343 Profile Series Surface Mounted Soap Dispenser / 48 fl Oz Capacity
 - d. Paper Towel Dispenser/Waste Receptacle.
*94696A Profile Series Automatic Paper Towel Dispenser / Waste Receptacle. Dispenses a Pre-set Length from 8" or 9" (205 or 230mm) Wide, 800 ft. (244mm) Long Rolls / 10-gal. Waste Receptacle
 - e. Toilet Tissue Dispenser/Seat Cover Dispenser at compartments (back-to-back mounting).
*0484 Partition Mounted Dual Access Seat Cover and Toilet Tissue Dispenser.
*0485 End Stall – Dual Access Seat Cover and Toilet Tissue Dispenser / ADA Compartment
 - f. Toilet Tissue Dispenser at compartment.
*9030 Profile Series Surface Mounted Dual Roll Toilet Tissue Dispenser [9031 – recessed]
 - g. Seat Cover Dispenser at compartment.
*9477SM Profile Series Surface Mounted Seat Cover Dispenser [9477 – recessed]
 - h. Grab Bars as indicated on drawings.
*3801 Series Concealed Mounting Grab Bar 1-1/2" diameter
 - i. Baby Changing Station.
*9013 Recessed Stainless Steel Baby Changing Station [9013-9 surface mounted]
 - j. Hand Dryers.
*0185 Profile Series Surface-Mounted Warm Air Hand Dryer / 185-CFM
*0165 Profile Series Compact Surface-Mounted Warm Air Hand Dryer / 180-CFM
 2. Women's Public Washrooms:
 - a. Mirror at each lavatory except accessible.
*0600 Series Angle-Frame Mirror / See sizes on drawings
 - b. Mirror at accessible lavatory.
*0535 Series Fixed Tilt Mirror / See sizes on drawings
 - c. Soap Dispenser at lavatory.
*9343 Profile Series Surface Mounted Soap Dispenser / 48 fl Oz Capacity
 - d. Paper Towel Dispenser / Waste Receptacle.
*94696A Profile Series Automatic Paper Towel Dispenser / Waste Receptacle. Dispenses a Pre-set Length from 8" or 9" (205 or 230mm) Wide, 800 ft. (244mm) Long Rolls / 10-gal. Waste Receptacle
 - e. Toilet Tissue Dispenser /Seat Cover Dispenser / Napkin Disposal at compartment. *0481 Partition Mounted Dual Access Seat Cover and Toilet Tissue Dispenser with Sanitary Disposal
*0482 End Stall – Dual Access Seat Cover and Toilet Tissue Dispenser with Sanitary Disposal / ADA Compartment
 - f. Grab Bars as indicated on drawings.
*3801 Series Concealed Mounting Grab Bar 1-1/2" diameter
 - g. Napkin/Tampon Disposal

1. Men's Public Toilet Rooms:
 - a. Mirror at each lavatory except accessible.
*0600 Series Angle-Frame Mirror / See sizes on drawings
 - b. Mirror at accessible lavatory.
*0535 Series Fixed Tilt Mirror / See sizes on drawings
 - c. Soap Dispenser at lavatory.
*0345 Surface Mounted Soap Dispenser / Horizontal / 40 fl Oz Capacity
 - d. Paper Towel Dispenser / Waste Receptacle.
*0469 Traditional Series Paper Towel Dispenser / Waste Receptacle
600 C-fold or 800 Multi-fold Towels / 12-gal. Waste Receptacle
*04692A Traditional Series Automatic Roll Paper Towel Dispenser /
Waste Receptacle. Dispenses a Pre-set Length from 8" or 9" (205 or
230mm) Wide, 800 ft. (244mm) Long Rolls / 18-gal. Waste Receptacle
*046921A Traditional Series Automatic Roll Paper Towel Dispenser /
Waste Receptacle. Dispenses a Pre-set Length from 8" or 9" (205 or
230mm) Wide, 800 ft. (244mm) Long Rolls / 13.3-gal. Waste
Receptacle (*California Title-24*)

For Automatics see 2.6.B Use should be based on volume and function

- e. Toilet Tissue Dispenser/Seat Cover Dispenser at compartments (back-to-back mounting).
*0484 Partition Mounted Dual Access Seat Cover and Toilet Tissue Dispenser
*0485 End Stall – Dual Access Seat Cover and Toilet Tissue Dispenser / ADA Compartment
 - f. Toilet Tissue Dispenser at compartment.
*0030 Traditional Series Dual Roll Toilet Tissue Dispenser [0031 - recessed]
 - g. Seat Cover Dispenser at compartment.
*0477-SM Traditional Series Surface Mounted Toilet Seat Cover Dispenser [0477 – recessed]
 - h. Grab Bars as indicated on drawings.
*3801 Series Concealed Mounting Grab Bar 1-1/2" diameter
 - i. Hand Dryers.
*0197-1 (120V) Turbo-Dri Surface Mounted High Speed Automatic Warm Air Hand Dryer [0197-2 (240 VAC)]
*0133 Simplicity Series Recessed Stainless Steel Automatic Warm Air Hand Dryer / 185-CFM
 - j. Freestanding Waste.
*0829 Corner Waste Receptacle / 15.5 gal. Capacity
2. Women's Public Washrooms:
 - a. Mirror at each lavatory except accessible.
*0600 Series Angle-Frame Mirror / See sizes on drawings
 - b. Mirror at accessible lavatory.
*0535 Series Fixed Tilt Mirror / See sizes on drawings
 - c. Soap Dispenser at lavatory.
*0345 Surface Mounted Soap Dispenser / Horizontal / 40 fl Oz Capacity
 - d. Paper Towel Dispenser/Waste Receptacle.
*0469 Traditional Series Paper Towel Dispenser / Waste Receptacle
600 C-fold or 800 Multi-fold Towels / 12-gal. Waste Receptacle
*04692A Traditional Series Automatic Roll Paper Towel Dispenser /
Waste Receptacle. Dispenses a Pre-set Length from 8" or 9" (205 or
230mm) Wide, 800 ft. (244mm) Long Rolls / 18-gal. Waste Receptacle
*046921A Traditional Series Automatic Roll Paper Towel Dispenser /

- Waste Receptacle. Dispenses a Pre-set Length from 8" or 9" (205 or 230mm) Wide, 800 ft. (244mm) Long Rolls / 13.3-gal. Waste Receptacle (*California Title-24*)
- e. Toilet Tissue Dispenser/Seat Cover Dispenser/Napkin Disposal at compartments (back-to-back mounting). *0481 Partition Mounted Dual Access Seat Cover and Toilet Tissue Dispenser with Sanitary Disposal *0482 End Stall – Dual Access Seat Cover and Toilet Tissue Dispenser with Sanitary Disposal / ADA Compartment
- f. Grab Bars as indicated on drawings.
*3801 Series Concealed Mounting Grab Bar 1-1/2" diameter
- g. Toilet Tissue Dispenser at compartment.
*0030 Traditional Series Dual Roll Toilet Tissue Dispenser [0031 - recessed]
- h. Napkin/Tampon Disposal at compartment.
*0473-A End Stall Sanitary Disposal Surface Mounted
- i. Napkin/Tampon Vendor.
*04684 Traditional Series Recessed Dual Napkin / Tampon Vendor – Dispenses 15 Napkins / 23 Tampons
- j. Baby Changing Station.
*9012 Surface Mounted Baby Changing Station / Horizontal {Complies with Accessibility Codes}
- k. Hand Dryers.
*0197-1 (120V) Turbo-Dri Surface Mounted High Speed Automatic Warm Air Hand Dryer [0197-2 (240 VAC)]
*0133 Simplicity Series Recessed Stainless Steel Automatic Warm Air Hand Dryer / 185-CFM
- l. Freestanding Waste.
*0829 Corner Waste Receptacle / 15.5 gal. Capacity
- m. Folding Utility Shelf.
*0698 Folding Utility Shelf for Toilet Compartment
- 3. Unisex Toilet Room
 - a. Mirror at accessible lavatory.
*0535 Series Fixed Tilt Mirror / See sizes on drawings
 - b. Soap Dispenser at lavatory.
*0345 Surface Mounted Soap Dispenser / Horizontal / 40 fl Oz Capacity
 - c. Paper Towel Dispenser / Waste Receptacle.
*0462-AD Traditional Series Paper Towel Dispenser / Waste Receptacle 350 C-fold or 475 Multi-fold Towels / 2-gal. Waste
*0469 Traditional Series Paper Towel Dispenser / Waste Receptacle 600 C-fold or 800 Multi-fold Towels / 12-gal. Waste Receptacle
*04692A Traditional Series Automatic Roll Paper Towel Dispenser / Waste Receptacle. Dispenses a Pre-set Length from 8" or 9" (205 or 230mm) Wide, 800 ft. (244mm) Long Rolls / 18-gal. Waste Receptacle
*046921A Traditional Series Automatic Roll Paper Towel Dispenser / Waste Receptacle. Dispenses a Pre-set Length from 8" or 9" (205 or 230mm) Wide, 800 ft. (244mm) Long Rolls / 13.3-gal. Waste Receptacle (*California Title-24*)
 - d. Grab Bars as indicated on drawings.
*3801 Series Concealed Mounting Grab Bar 1-1/2" diameter
 - e. Toilet Tissue Dispenser at compartment.
*0030 Traditional Series Dual Roll Toilet Tissue Dispenser [0031 - recessed]
 - f. Napkin/Tampon Disposal.
*0852 Surface Mounted Sanitary Napkin Disposal
 - g. Baby Changing Station.
*9012 Surface Mounted Baby Changing Station / Horizontal {Complies

- with Handicapped Accessibility Codes}
 - h. Freestanding Waste.
*0829 Corner Waste Receptacle / 15.5 gal. Capacity
- 4. Men's Single Toilet Room
 - a. Mirror at accessible lavatory.
*0535 Series Fixed Tilt Mirror / See sizes on drawings
 - b. Soap Dispenser at lavatory.
*0347 Surface Mounted Soap Dispenser / Vertical / 40 fl Oz Capacity
 - c. Paper Towel Dispenser / Waste Receptacle.
*0462-AD Traditional Series Paper Towel Dispenser / Waste Receptacle 350 C-fold or 475 Multi-fold Towels / 2-gal. Waste
 - d. Grab Bars as indicated on drawings.
*3801 Series Concealed Mounting Grab Bar 1-1/2" diameter
 - e. Toilet Tissue Dispenser.
*0030 Traditional Series Dual Roll Toilet Tissue Dispenser [0031 - recessed]
- 5. Women's Single Toilet Room
 - a. Mirror at accessible lavatory.
*0535 Series Fixed Tilt Mirror / See sizes on drawings
 - b. Soap Dispenser at lavatory.
*0347 Surface Mounted Soap Dispenser / Vertical / 40 fl Oz Capacity
 - c. Paper Towel Dispenser/Waste Receptacle.
*0462-AD Traditional Series Paper Towel Dispenser / Waste Receptacle 350 C-fold or 475 Multi-fold Towels / 2-gal. Waste
 - d. Grab Bars as indicated on drawings.
*3801 Series Concealed Mounting Grab Bar 1-1/2" diameter
 - e. Toilet Tissue Dispenser.
*0030 Traditional Series Dual Roll Toilet Tissue Dispenser [0031 - recessed]
 - f. Napkin/Tampon Disposal.
*0852 Surface Mounted Sanitary Napkin Disposal
 - g. Folding Utility Shelf.
*0698 Folding Utility Shelf for Toilet Compartment
- 6. Janitor's Closet:
 - a. Utility Shelf/Mop Holder; length 44".
*1308-4 Shelf with Utility Hooks and Mop Strip - 4 Mop Holders / 5 Utility Hooks
- 7. Hospital Patient Bathroom:
 - a. Mirror.
*0620 Series Channel Frame Mirror / See sizes on drawings
 - b. Soap Dispenser.
*0347 Surface Mounted Soap Dispenser / Vertical / 40 fl Oz Capacity
 - c. Paper Towel Dispenser.
*0210 Paper Towel Dispenser 400 C-fold or 525 Multi-fold Towels.
 - d. Waste Receptacle.
*0828 Waste Receptacle / 6.7 gal. Capacity
 - e. Toilet Tissue Dispenser.
*0030 Traditional Series Dual Roll Toilet Tissue Dispenser [0031 - recessed]
 - f. Cup Dispenser.
*0002-SM Surface Mounted Stainless Steel Paper Cup Dispenser / 100 Flat Bottom Cups 3oz.-6oz.
 - g. Grab Bars as indicated on drawings.
*3701 Series Concealed Mounting Grab Bar 1-1/4" diameter
 - h. Shower Curtain Rod/ Hooks/ Shower Curtain.
*1214 Heavy-Duty Shower Curtain Rod / *1200-SHU Stainless Steel Shower Curtain Hooks / *1200-V Vinyl Shower Curtain

- i. Shower Seat.
*8206 Reversible Folding Shower Seat / Phenolic
 - j. Robe Hook.
*7382-S Hat and Coat Hook / Satin [7382-B bright]
 - k. Bed Pan / Urinal Cabinet.
*0551 Recessed Bed Pan and Urinal Cabinet
8. Hospital Exam Room:
- a. Waste Receptacle.
*0828 Waste Receptacle / 6.7 gal. Capacity
 - b. Specimen Pass-Thru.
*8154 Pass Through Specimen Cabinet
 - c. Double Robe Hook.
*7345-S Double Robe Hook / Satin [7345-B bright]
 - d. Paper Towel Dispenser (small).
*0215 Paper Towel Dispenser 200 C-fold or 275 Multi-fold Towels.
 - e. Soap Dispenser
*0347 Surface Mounted Soap Dispenser / Vertical / 40 fl Oz Capacity

- C. Institutional Buildings (Schools, Hospitals, Correctional)
- 1. School Locker Room:

Check District Paper Contract (Roll Towel vs. Multi-fold)

- a. Mirror at each lavatory except accessible.
*0600-B Series Angle Frame Mirror with Tempered Glass / See Sizes on Drawings [0600-L ¼" -Laminated Glass]
 - b. Mirror at accessible lavatory.
*0535-B Series Fixed Tilt Mirror with Tempered Glass / See Sizes on Drawings [0535-L ¼" Laminated Glass]
 - c. Soap Dispenser.
*0347 Surface Mounted Soap Dispenser / Vertical / 40 fl Oz Capacity
 - d. Electric Hand Dryer.
*0197-1 (120V) Turbo-Dri Surface Mounted High Speed Automatic Warm Air Hand Dryer [0197-2 (240 VAC)]
 - e. Toilet Tissue Dispenser at compartments (back-to-back mounting).
*0484 (Men's) Partition Mounted Dual Access Seat Cover and Toilet Tissue Dispenser
*0485 (Men's) End Stall – Dual Access Seat Cover and Toilet Tissue Dispenser / ADA Compartment
*0481 (Women's) Partition Mounted Dual Access Seat Cover and Toilet Tissue Dispenser with Sanitary Disposal
*0482 (Women's) End Stall – Dual Access Seat Cover and Toilet Tissue Dispenser with Sanitary Disposal / ADA Compartment
 - f. Toilet Tissue Dispenser at compartment.
*0030 Traditional Series Dual Roll Toilet Tissue Dispenser [0031 – recessed]
 - g. Grab Bars as indicated on drawings.
*3701 Series Concealed Mounting Grab Bar 1-1/4" Diameter
 - h. Shower Curtain Rod / Hooks / Shower Curtain.
*1204 Extra Heavy-Duty Shower Curtain Rod / *1200-SHU Stainless Steel Shower Curtain Hooks / *1200-V Vinyl Shower Curtain
 - i. Heavy Duty Towel Hook.
*8425 Clothes Hook
 - j. ADA Shower Seat.
*8206 Reversible Folding Shower Seat / Phenolic
2. Men's Public Washrooms:

- a. Mirror at each lavatory except accessible.
*0620 Series Channel Frame Mirror / See sizes on drawings
 - b. Mirror at accessible lavatory.
*0535 Series Fixed Tilt Mirror / See sizes on drawings
 - c. Soap Dispenser at lavatory.
*0347 Surface Mounted Soap Dispenser / Vertical / 40 fl Oz Capacity
 - d. Paper Towel Dispenser/Waste Receptacle.
*0469 Traditional Series Paper Towel Dispenser / Waste Receptacle
600 C-fold or 800 Multi-fold Towels / 12-gal. Waste Receptacle
 - e. Toilet Tissue Dispenser/Seat Cover Dispenser at compartments (back-to-back mounting).
*0484 Partition Mounted Dual Access Seat Cover and Toilet Tissue Dispenser
*0485 End Stall – Dual Access Seat Cover and Toilet Tissue Dispenser / ADA Compartment
 - f. Toilet Tissue Dispenser at compartment.
*0030 Traditional Series Dual Roll Toilet Tissue Dispenser [0031 – recessed]
 - g. Seat Cover Dispenser at compartment.
*0477-SM Traditional Series Surface Mounted Toilet Seat Cover Dispenser [0477 – recessed]
 - h. Grab Bars as indicated on drawings.
*3701 Series Concealed Mounting Grab Bar 1-1/4" Diameter
 - i. Electric Hand Dryer.
*0197-1 (120V) Turbo-Dri Surface Mounted High Speed Automatic Warm Air Hand Dryer [0197-2 (240 VAC)
*0133 Simplicity Series Recessed Stainless Steel Automatic Warm Air Hand Dryer / 185 CFM
3. Women's Public Washrooms:
- a. Mirror at each lavatory except accessible.
*0620 Series Channel Frame Mirror / See sizes on drawings
 - b. Mirror at accessible lavatory.
*0535 Series Fixed Tilt Mirror / See sizes on drawings
 - c. Soap Dispenser at lavatory.
*0347 Surface Mounted Soap Dispenser / Vertical / 40 fl Oz Capacity
 - d. Paper Towel Dispenser / Waste Receptacle.
*0469 Traditional Series Paper Towel Dispenser / Waste Receptacle
600 C-fold or 800 Multi-fold Towels / 12-gal. Waste Receptacle.
 - e. Seat Cover Dispenser at compartment.
*0477-SM Traditional Series Surface Mounted Toilet Seat Cover Dispenser [0477 – recessed]
 - f. Toilet Tissue Dispenser at compartment.
*0030 Traditional Series Dual Roll Toilet Tissue Dispenser [0031 – recessed]
 - g. Toilet Tissue Dispenser/Seat Cover Dispenser/Napkin Disposal at compartment.
*0481 (Women's) Partition Mounted Dual Access Seat Cover and Toilet Tissue Dispenser with Sanitary Disposal
*0482 (Women's) End Stall – Dual Access Seat Cover and Toilet Tissue Dispenser with Sanitary Disposal / ADA Compartment
 - h. Grab Bars as indicated on drawings.
*3701 Series Concealed Mounting Grab Bar 1-1/4" Diameter
 - i. Napkin/Tampon Vendor.
*04684 Traditional Series Recessed Dual Napkin / Tampon Vendor – Dispenses 15 Napkins / 23 Tampons
 - j. Napkin/Tampon Disposal.
*0852 Surface Mounted Sanitary Napkin Disposal

- k. Baby Changing Station.
 - *9012 Surface Mounted Baby Changing Station / Horizontal {Complies with Handicapped Accessibility Codes}
 - *9013 Recessed Stainless Steel Baby Changing Station [9013-9 surface mounted]
- l. Electric Hand Dryer.
 - *0197-1 (120V) Turbo-Dri Surface Mounted High Speed Automatic Warm Air Hand Dryer [0197-2 (240 VAC)
 - *0133 Simplicity Series Recessed Stainless Steel Automatic Warm Air Hand Dryer / 185 CFM
- m. Folding Utility Shelf.
 - *0698 Folding Utility Shelf for Toilet Compartment
- 4. Unisex Toilet Room
 - a. Mirror at accessible lavatory.
 - *0620 Series Channel Frame Mirror / See sizes on drawings
 - b. Soap Dispenser at lavatory.
 - *0347 Surface Mounted Soap Dispenser / Vertical / 40 fl Oz Capacity
 - c. Paper Towel Dispenser/Waste Receptacle.
 - *0469 Traditional Series Paper Towel Dispenser / Waste Receptacle 600 C-fold or 800 Multi-fold Towels / 12-gal. Waste Receptacle
 - d. Grab Bars as indicated on drawings.
 - *3701 Series Concealed Mounting Grab Bar 1-1/4" Diameter
 - e. Toilet Tissue Dispenser recessed.
 - *0030 Traditional Series Dual Roll Toilet Tissue Dispenser [0031 – recessed]
 - f. Baby Changing Station.
 - *9012 Surface Mounted Baby Changing Station / Horizontal {Complies with Handicapped Accessibility Codes}
 - *9013 recessed Stainless Steel Baby Changing Station [9013-9 surface mounted]
 - g. Napkin/Tampon Disposal.
 - *0852 Surface Mounted Sanitary Napkin Disposal
 - h. Electric Hand Dryer.
 - *0185 Profile Series Surface-Mounted Warm Air Hand Dryer / 185-CFM
- 5. Men's Single Toilet Room
 - a. Mirror at accessible lavatory.
 - *0535 Series Fixed Tilt Mirror / See sizes on drawings
 - b. Soap Dispenser at lavatory.
 - *0347 Surface Mounted Soap Dispenser / Vertical / 40 fl Oz Capacity
 - c. Paper Towel Dispenser / Waste Receptacle.
 - *0462-AD Traditional Series Paper Towel / Waste Receptacle 350 C-Fold or 475 Multi-fold Towels / 2-gal. Waste
 - d. Grab Bars as indicated on drawings.
 - *3701 Series Concealed Mounting Grab Bar 1-1/4" Diameter
 - e. Toilet Tissue Dispenser.
 - *0030 Traditional Series Dual Roll Toilet Tissue Dispenser [0031 – recessed]
 - f. Electric Hand Dryer.
 - *0185 Profile Series Surface-Mounted Warm Air Hand Dryer / 185-CFM
- 6. Women's Single Toilet Room
 - a. Mirror at accessible lavatory.
 - *0535 Series Fixed Tilt Mirror / See sizes on drawings
 - b. Soap Dispenser at lavatory.
 - *0347 Surface Mounted Soap Dispenser / Vertical / 40 fl Oz Capacity
 - c. Paper Towel Dispenser/Waste Receptacle.

