



“NO-TOUCH” WASHROOM ACCESSORIES

ASI is the Solution to Making Your Bathrooms Better

- **Multiple Models and Finishes** – More choices
- **Sanitary** – All are no-touch operation
- **Easy Installation** – Installs quickly with standard tools
- **More ADA-Compliant Models**
- **Cost-Efficient**
- **Durable**
- **Classic Styling** – Looks great in every washroom



AUTOMATIC PAPER TOWEL DISPENSERS

- Proximity sensing no-touch operation
- Dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls.
- AC and battery operated (4) D-size



04692A RECESSED AUTOMATIC ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

18 gallons (68 L) stainless steel waste receptacle.

04692A-6 (Not Shown)

Similar to 04692A, except with stainless steel collar for semi-recessing in 4" (102 mm) walls.

04692A-9 (Not Shown)

Similar to 04692A, except with stainless steel collar for surface mounting.

Wall Opening:

15 $\frac{3}{4}$ " x 54 $\frac{1}{2}$ " x 10"
(400 x 1384 x 254 mm)



94696A RECESSED AUTOMATIC ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

10 gal. (37.8 L) stainless steel waste receptacle.

Wall Opening:

14 $\frac{5}{8}$ " x 39 $\frac{3}{4}$ " x 10"
(371 x 1010 x 254 mm)

046921A RECESSED AUTOMATIC ROLL TOWEL DISPENSER AND WASTE RECEPTACLE

14 gal. (53 L) waste receptacle.

046921A-6 (Not Shown)

Same as 046921A, except with stainless steel collar for semi-recessing in 4" (102 mm) walls.

046921A-9 (Not Shown)

Same as 046921A, except with stainless steel collar for surface mounting.

Wall Opening:

15 $\frac{3}{4}$ " x 54 $\frac{1}{2}$ " x 10 $\frac{1}{4}$ "
(400 x 1384 x 260 mm)



045224A RECESSED AUTOMATIC ROLL PAPER TOWEL DISPENSER

045224A-9 (Not Shown) Same as 045224A, except with stainless steel collar for surface mounting.

Wall Opening:

15 $\frac{3}{4}$ " x 29" x 4"
(400 x 740 x 102 mm)



**046924A RECESSED
AUTOMATIC ROLL TOWEL
DISPENSER AND
WASTE RECEPTACLE**

14 gal. (53 L)
waste receptacle.

046924A-9 *(Not Shown)*
Same as 046924A, except
with stainless steel collar
for surface mounting.

Wall Opening:
15 $\frac{3}{4}$ " x 54 $\frac{1}{2}$ " x 4"
(400 x 1390 x 102 mm)



**045210A RECESSED AUTOMATIC ROLL
PAPER TOWEL DISPENSER**

045210A-6 *(Not Shown)* Same as 045210A, except
with stainless steel collar for semi-recessing in 4"
(102 mm) walls.

045210A-9 *(Not Shown)* Same as 045210A, except
with stainless steel collar for surface mounting.

Wall Opening:
15 $\frac{3}{4}$ " x 26 $\frac{1}{2}$ " x 10 $\frac{1}{4}$ " (400 x 673 x 260 mm)



**64696A RECESSED
AUTOMATIC ROLL
PAPER TOWEL
DISPENSER AND
WASTE RECEPTACLE**

8.6 gal. (32.6 L) stainless
steel waste receptacle.

64696A-6 *(Not Shown)*
Similar to 64696A, except
with stainless steel collar
for semi-recessing in
4" (102 mm) walls.

64696A-9 *(Not Shown)*
Similar to 64696A, except
with a stainless steel collar
for surface mounting.

Wall Opening:
14 $\frac{5}{8}$ " x 39 $\frac{3}{4}$ " x 10"
(370 x 1010 x 254 mm)



**8523A SURFACE MOUNTED
AUTOMATIC ROLL PAPER
TOWEL DISPENSER**

4 D battery operated only.

Overall size:
13" x 17 $\frac{3}{4}$ " x 10"
(330 x 451 x 254 mm)

ROVAL™ AUTOMATIC PAPER TOWEL DISPENSERS



204692A AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Fabricated of 18 gauge type 304 stainless steel. 17.8 gal. (67.2 L) removable waste receptacle.

Wall Opening:

15¹³/₁₆" x 54¹¹/₁₆" x 10"
(402 x 1389 x 254 mm)



204523A RECESSED AUTOMATIC ROLL PAPER TOWEL DISPENSER

Fabricated of 22 gauge stainless steel with satin finish.

Wall Opening:

15³/₄" x 26" x 10"
(400 x 660 x 254 mm)

2046921A RECESSED AUTOMATIC ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE FOR ADAAG COMPLIANCE

Smaller waste receptacle, 13.5 gal. (51.1 L), allows installation according to ADAAG. Internal shelf is ideal for paper towel storage.

Wall Opening:

15¹³/₁₆" x 54¹¹/₁₆" x 10"
(402 x 1389 x 254 mm)



AVAILABLE MOUNTING STYLES

All units are available in three mounting styles:

- Recessed – standard
- Semi-Recessed – add -6 to product number
- Surface Mounted – add -9 to product number

POWER SOURCE

Units can be hard-wired or battery-operated.

- Battery-Operated – Suffix "A" in the product number indicates that the unit is powered by four (4) D-size batteries (not supplied)
- Hard-Wired – replace suffix "A" in the product number with the suffix "AC"

AUTOMATIC MECHANISM

Units automatically dispense one predetermined length at a time when hands are placed in sensor zone. The owner can predetermine the length of towel dispensed.



AUTOMATIC SOAP & HAND SANITIZER DISPENSERS



20333 ROVAL™ AUTOMATIC DECK MOUNTED SOAP DISPENSER

Constructed of polished type 304 stainless steel on exposed surfaces with battery-operated, hands-free sensor. LEDs indicate function, battery condition and soap supply level on face front.

Capacity: 54 oz. (1600 ml) of liquid soap.

20364 AUTOMATIC SOAP OR HAND SANITIZER DISPENSER

Hands-free, battery-operated soap or hand sanitizer dispenser. Dispensing cycles adjustable with tamper proof magnetic key. Seamless drawn type 304 stainless steel cover. Translucent removable internal tank for easy-to-view level. LED indicates adjustment and operation.

Capacity: 33.8 oz. (1000 ml)

Overall size: 5½" x 10⅞" x 4"
(140 x 276 x 102 mm) projection.



20365 AUTOMATIC FOAM SOAP DISPENSER

A foam drop is dispensed out of the nozzle on unit bottom each time its battery-operated sensor is activated. Wide range of viscosity.

Capacity: 34 oz. (1000 ml)

Overall size: 5½" x 10⅞" x 4"
(140 x 276 x 102 mm) projection.

0360 AUTOMATIC SOAP OR HAND SANITIZER DISPENSER

Stainless steel, #4 satin finish, proximity sensor, battery operated. Tamper-resistant soap level viewing window, removable lid with special lock and key.

Capacity: 35 fluid ounces (1000 ml).

Overall size: 4¹³/₃₂" x 9¼" x 4⁷/₈"
(115 x 235 x 124 mm) projection.



0361 AUTOMATIC SOAP OR HAND SANITIZER DISPENSER

White, high impact plastic, proximity sensor, battery operated. Tamper-resistant soap level viewing window, swing open body with special lock and key.

Capacity: 28 fluid ounces (800 ml)

Overall size: 4⁵/₈" x 10⁵/₁₆" x 4⁷/₁₆"
(118 x 263 x 113 mm) projection.

0362 AUTOMATIC SOAP OR HAND SANITIZER DISPENSER

Hands-free, battery-operated, satin finish stainless steel soap or hand sanitizer dispenser.

Capacity: 27 oz. (800 ml) when using disposable soap cartridge (by others) or 30 oz. (900 ml) when using provided refillable soap cartridge.

Overall size: 4¹³/₁₆" x 10⁵/₈" x 4¹/₈"
(122 x 270 x 105 mm) projection.

0363 Same as 0362, except with bright polished finish.



AUTOMATIC HAND DRYERS



Decibel Level
Min: 59 dB-A @ 2M
Max: 72 dB-A @ 2M

Dry Time: Approx. 12 seconds

0197-1-93 TURBO-Dri™ SURFACE-MOUNTED HIGH-SPEED AUTOMATIC HAND DRYER

Quick drying — approximately 12 seconds. Heavy-duty, one piece satin stainless steel cover. Adjustable air velocity and temperature. Energy efficient — Greenspec™ listed. 5-year warranty.

0197-92 (Not shown) Polished stainless finish.

0197-01 (Not shown) White enamel finish.

Overall Dimensions: 8¹/₁₆" x 11¹⁹/₆₄" x 7⁵/₆₄"
(205 x 287 x 180 mm)



0119 TURBO-Dri Semi-Recess Kit

Semi-recess kit reduces protrusion to less than 4", meeting both ADAAG and CalDAG Barrier-Free requirements.

Wall Opening:

10³/₄" w x 16³/₈" h x 3³/₄" d
(273 x 416 x 95 mm) (min)



Decibel Level
69 dB-A @ 2M

Dry Time: Under 15 seconds

0198 TURBO-Dri™ JUNIOR SURFACE-MOUNTED HIGH-SPEED AUTOMATIC HAND DRYER

Compact high-speed hand dryer for applications where less space is available. 5-year warranty.

Overall Dimensions: 9²⁵/₃₂" x 6⁵/₈" x 5¹³/₃₂"
(248 x 168 x 138 mm)



Decibel Level
63 dB-A @ 2M

Dry Time: Under 25 seconds

0133 FULLY RECESSED AUTOMATIC HAND DRYER

Fully recessed ADA-compliant hand dryer. Durable 14 gauge stainless steel cover has a satin finish and seamless design making it ideal for any washroom. Universal voltage. 10-year warranty.

Wall Opening: 14" x 16" x 4"
(356 x 406 x 102 mm)



Decibel Level
69 dB-A @ 2M

Dry Time: Under 15 seconds

20199 ROVAL™ RECESSED HIGH-SPEED AUTOMATIC HAND DRYER

This high performing hand dryer has a cover made of 18 gauge stainless steel and uniquely complements the Roval™ Collection with its bowed face and gently radiused edges. 5-year warranty.

Wall Opening: 10¹/₂" x 14⁵/₈" x 3¹/₄"
(267 x 371 x 83 mm)
(Conforms to ADA)



0185 STEEL COVER AUTOMATIC HAND DRYER WITH PORCELAIN ENAMEL FINISH

Available in White, Grey, Black, Almond, Bright and Satin Stainless Steel. Universal voltage. 10-year warranty.

0184 (Not shown) ROVAL™ SURFACE-MOUNTED AUTOMATIC HAND DRYER Same as 0185, except 277 VAC. Ideal for school.

0184/0185 Overall Dimensions: 14 7/16" x 10 3/16" x 3 15/16" (367 x 275 x 100 mm)

0195 (Not shown) ROVAL™ CAST IRON COVER AUTOMATIC HAND DRYER WITH PORCELAIN ENAMEL FINISH Available in White, Grey, Black and Almond. Universal voltage. 10-year warranty.

Overall Dimensions: 15 3/32" x 11 7/32" x 3 15/16" (383 x 285 x 100 mm)



**SURFACE MOUNTED
4" DEEP ADA DRYERS**

**Decibel Level
63 dB-A @ 2M**

Dry Time: Under 25 seconds

0165 PROFILE™ COMPACT AUTOMATIC HAND DRYER
100-240 VAC - 50/60 Hz. Universal voltage. 10-year warranty.

COLOR OPTIONS:
Grey. White is standard if no color is indicated.

Overall Dimensions: 11 3/8" x 11 7/32" x 3 7/8"
(289 x 285 x 100 mm)
(Conforms to ADA)

**Decibel Level
64 dB-A @ 2M**

Dry Time: Under 30 seconds



**Decibel Level
60 dB-A @ 2M**

Dry Time: 20 – 25 seconds

0141 PORCELAIR AUTOMATIC HAND & FACE DRYER

110-120 VAC - 50/60 Hz. Dries both hands and face. Universal voltage. 10-year warranty.

0144 PORCELAIR AUTOMATIC HAND & FACE DRYER

208-240 VAC - 50/60 Hz. Universal voltage. 10-year warranty.

COLOR OPTIONS:
Grey, Black and Almond. White is standard if no color is indicated.

Overall Dimensions: 9 7/16" x 9 41/64" x 6 3/8"
(240 x 245 x 162 mm)

"NO-TOUCH" WASHROOM ACCESSORIES

THE ASI GROUP

The ASI Group is your single source solution for Washroom Accessories, Toilet Partitions, Lockers and other storage products worldwide.

Partitions — The most complete line available in the industry — stainless steel, solid plastic, powder coated steel, phenolic, color-thru phenolic and plastic laminate partitions. Since 1957, we have offered designers worldwide a myriad of choices to satisfy every need.

Lockers — The best engineered lockers and shelving in the industry, period. A wide range of colors and materials (including steel, solid plastic and phenolic) offer the perfect solution for any storage application.

Our mission is to make our customers successful by providing value that exceeds price and an excellent service experience. We do this by providing superior design, the broadest range of quality products in the industry, and state-of-the art manufacturing to ensure that we have whatever our customers need, whenever they need it.

With experienced architectural representatives and customer service teams, we are here to help you deliver on projects that range from world-class office buildings, educational facilities, sports venues, and government buildings to hospitals, chain stores, and hospitality / entertainment complexes.

American Specialties, Inc., Global Partitions, Accurate Partitions Corp. and ASI Storage Solutions Inc. are all part of the ASI Group of companies.



americanspecialties.com
for our complete line of
washroom accessories



globalpartitions.com



accuratepartitions.com



asilockers.com

ASI GUARANTEE

Products are guaranteed to be free from defects in workmanship and material for a period of one year from date of purchase. Any products returned under this guarantee will be repaired or replaced at no charge.

AUTOMATIC HAND DRYERS WARRANTY: All component parts of all dryers shall be warranted to be free of defects in material and workmanship, except brushes which are warranted for 3 years.

Illustrations and descriptions herein are applicable to production as of the date of this catalog. The manufacturer reserves the right to make changes and improvements in designs and dimensions at any time.



American Specialties, Inc.
441 Saw Mill River Rd, Yonkers, NY 10701
Tel: 914.476.9000 Fax: 914.476.0688
E-mail: info@americanspecialties.com Web: americanspecialties.com

Distributed by: